

Keuka Outlet Compact

Calendar Year Expense Totals

1990/1991:

Attorney Fees	\$	13,420.00
Work Performed		4,478.24
Insurance		4,600.00
Miscellaneous		71.34

<b>TOTAL</b>	<b>\$</b>	<b>22,569.58</b>	<b>90/91</b>
--------------	-----------	------------------	--------------

1992:

Attorney Fees	\$	5,100.00
Work Performed		110,426.71
Insurance		614.00
Miscellaneous		106.12

<b>TOTAL</b>	<b>\$</b>	<b>116,246.83</b>	<b>1992</b>
--------------	-----------	-------------------	-------------

1993:

Attorney Fees	\$	1,145.00
Insurance		403.00
Maintenance		1,878.17
Miscellaneous		121.16

<b>TOTAL</b>	<b>\$</b>	<b>3,547.33</b>	<b>1993</b>
--------------	-----------	-----------------	-------------

1994:

Attorney Fees	\$	1,274.00
Work Performed		5,021.40
Insurance		441.00
Maintenance		4,870.20
Miscellaneous		57.99

<b>TOTAL</b>	<b>\$</b>	<b>11,664.59</b>	<b>1994</b>
--------------	-----------	------------------	-------------


1995:

Work Performed	\$	160.00
Insurance		258.00
Maintenance		1,638.98
Miscellaneous		9.70

<b>TOTAL 1995 TO DATE</b>	<b>\$</b>	<b>2,066.68</b>	<b>1995</b>
---------------------------	-----------	-----------------	-------------

<b><u>GRAND TOTAL</u></b>	<b>\$</b>	<b>156,095.01</b>	
---------------------------	-----------	-------------------	--

# Keuka Lake Water Level





THE SENATE  
STATE OF NEW YORK

JOHN R. KUHL, JR.  
SENATOR  
52ND DISTRICT  
CHAIRMAN  
COMMITTEE ON AGRICULTURE

PLEASE RESPOND TO:  
ALBANY OFFICE:  
ROOM 310  
LEGISLATIVE OFFICE BUILDING  
ALBANY, NEW YORK 12247  
(518) 455-2091  
FAX: (518) 426-6976  
DISTRICT OFFICE:  
18 BUELL STREET  
P.O. BOX 153  
BATH, NEW YORK 14810  
(607) 776-4111  
FAX: (607) 776-6333

September 1, 1995


Mr. William Weber  
Keuka Lake Outlet Compact  
5 Maiden Lane  
Penn Yan, NY 14527

Dear Bill:

Thank you for your followup letter regarding the withholding of the 5% outstanding reimbursement to KLOC as a result of the U.S. Army Corp. of Engineers failing to approve all of the actual project costs incurred. I understand that you have been working with Congressman Houghton's Office to attempt to obtain Army approval of these expenditures.

I have contacted Richard Konsella of the DEC Flood Control Division to determine the specific problems encountered in documenting acceptable expenditures to the Army and whether additional information may be available to satisfy the federal government.

I will let you know as soon as I have further information.

Sincerely,  
  
John R. Kuhl, Jr.

JRK/t/tp



*Village of Penn Yan*



*on Keuka Lake*

P.O. Box 426      3 Maiden Lane  
PENN YAN, NEW YORK 14527  
Phone: 315-536-3015

August 31, 1995

Keuka Lake Outlet Compact  
Attn: William A. Weber  
468 West Lake Road  
Branchport, New York 14418

Dear Bill:

In response to your letter of August 29, 1995, Edward J. Balsley, Director of Public Works has assumed full responsibility for maintaining and operating the Keuka lake Flood Control Gates as well as reporting to the New York State Thruway Authority on gate settings, lake level, etc.

Please let me know if I can be of further assistance.

Sincerely,

*Gerald A. Nissen (JAN)*

Gerald A. Nissen  
Mayor

cc: KLOC Commissioners  
Wm. Mayer, Esq.  
Robert Hoban  
Edward Balsley

# KEUKA LAKE OUTLET COMPACT

Five Maiden Lane  
Penn Yan, New York 14527  
315-536-3015



KEUKA LAKE

Phyllis K. Peek, Chairman  
William Weber, Secretary  
Joyce Benedict, Clerk/Treasurer  
William Mayer, Esq., Counsel

Carl Stuck, Manager  
315-536-3374

## MINUTES OF MEETING HELD IN WAYNE TOWN HALL JANUARY 9, 1995, 7:00 PM

Chairman Phyllis Peek called the meeting to order at 7PM.

Other Commissioners present were Gardiner, Plaisted and Snow.

The minutes of the last meeting were approved on a motion by Commissioner Snow, 2nd by Commissioner Gardiner.

### Manager's Report

Carl Stuck reported the Lake was at 711.95, about .05 feet below target. Some complaints have been received, but, in general, the public seems to understand the trade-off of winter lows versus spring highs.

About 1st March the level will begin to increase per the control curve.

The re-built Main Street Bridge project is 99% complete, so it seems appropriate to install the final portion of the guard rail. Upon a motion by Commissioner Snow, second by Commissioner Gardiner, it was agreed to have Mike Falvey perform the work at an estimated cost of \$160.

A cat walk from the new Gates to the Birkett Gates can be constructed at a cost of \$2,500-2,700. No action was recommended until the project refund situation is better understood.

The grant for Kimball's Bully should be received by mid to late January, 1995.

No word has been received on the request to DEC for a permanent dredging permit for the channel near Penn Yan boats. Carl was asked to see if we could use the DEC permit in the same fashion as Hammondsport does for the Glen Brook inlet.

### Project Refund Question

Commissioner Plaisted asked the status of this item.

Secretary Weber reported that, in a prior telecon with Mike Smith, further bureaucratic complications had developed with further Army review for the DEC cost figures.

Secretary Weber offered to write a letter for Chairman Peek's signature to Col. Neitzke in Buffalo asking what the problem is and advising him the Lake should have enough water for flow tests by the end of March.